

VPON



Product catalogue

Willing "Light the world" project, the special certification fund has invested more than one million yuan, specifically aiming at the new safety standards in the foreign market, the new environmental protection rules and the requirements for the use of new products. Up to now, VPON's "Towards the World" project has.



CERTIFICATE FI 30144





Our Ref: 30144

Product	Installation switch
Type	LU-2TH12, LU-2TH12D, NE-2TH12, LU-2TH13L, LU-2TH13L, NE-2TH13L, LU-2TH12, LU-2TH12D, NE-2TH12D
Trade mark	VFON
Certificate holder	Fishan Vyon Electric Co., Ltd Jiangxi Industrial Area, Lalei Town, Shunde, Foshan, GUANGDONG, CHINA
Manufacturer	Fishan Vyon Electric Co., Ltd Jiangxi Industrial Area, Lalei Town, Shunde, Foshan, GUANGDONG, CHINA
Technical information	10A, 250 V~
Other information	Rotary switch, with metal frame and screw type terminal. See appendix
The product is certified according to the following standard(s)	EN 50565-1 1989 + A1 2002 + A2 2008
Validity	This certificate is valid until 31 October 2022 provided that the Conditions for FI certification are met. The certificate maintains the validity for up to 21 March until the condition that product changes of (any) type will be approved at SGS Fimeko before the product is brought into market.
Directive information	Under the Low Voltage Directive (2014/35/EU) at the date of issue of the certificate.
Date of issue	11 October 2017
Signature	  Esther Löffler Project Manager

This certificate has 4 appendices:








The certificate remains the property of the Client and is subject to verification. Should the product be placed on the market in a manner inconsistent with the conditions of the certificate, the certificate will be withdrawn and the Client will be liable for any damage caused. The certificate is not valid for products not covered by the certificate. The certificate is not valid for products not covered by the certificate. The certificate is not valid for products not covered by the certificate.

SGS FIMEKO

L-10084, 890-892, 890-893, 890-894, 890-895, 890-896, 890-897, 890-898, 890-899, 890-900, 890-901, 890-902, 890-903, 890-904, 890-905, 890-906, 890-907, 890-908, 890-909, 890-910, 890-911, 890-912, 890-913, 890-914, 890-915, 890-916, 890-917, 890-918, 890-919, 890-920, 890-921, 890-922, 890-923, 890-924, 890-925, 890-926, 890-927, 890-928, 890-929, 890-930, 890-931, 890-932, 890-933, 890-934, 890-935, 890-936, 890-937, 890-938, 890-939, 890-940, 890-941, 890-942, 890-943, 890-944, 890-945, 890-946, 890-947, 890-948, 890-949, 890-950, 890-951, 890-952, 890-953, 890-954, 890-955, 890-956, 890-957, 890-958, 890-959, 890-960, 890-961, 890-962, 890-963, 890-964, 890-965, 890-966, 890-967, 890-968, 890-969, 890-970, 890-971, 890-972, 890-973, 890-974, 890-975, 890-976, 890-977, 890-978, 890-979, 890-980, 890-981, 890-982, 890-983, 890-984, 890-985, 890-986, 890-987, 890-988, 890-989, 890-990, 890-991, 890-992, 890-993, 890-994, 890-995, 890-996, 890-997, 890-998, 890-999, 890-1000, 890-1001, 890-1002, 890-1003, 890-1004, 890-1005, 890-1006, 890-1007, 890-1008, 890-1009, 890-1010, 890-1011, 890-1012, 890-1013, 890-1014, 890-1015, 890-1016, 890-1017, 890-1018, 890-1019, 890-1020, 890-1021, 890-1022, 890-1023, 890-1024, 890-1025, 890-1026, 890-1027, 890-1028, 890-1029, 890-1030, 890-1031, 890-1032, 890-1033, 890-1034, 890-1035, 890-1036, 890-1037, 890-1038, 890-1039, 890-1040, 890-1041, 890-1042, 890-1043, 890-1044, 890-1045, 890-1046, 890-1047, 890-1048, 890-1049, 890-1050, 890-1051, 890-1052, 890-1053, 890-1054, 890-1055, 890-1056, 890-1057, 890-1058, 890-1059, 890-1060, 890-1061, 890-1062, 890-1063, 890-1064, 890-1065, 890-1066, 890-1067, 890-1068, 890-1069, 890-1070, 890-1071, 890-1072, 890-1073, 890-1074, 890-1075, 890-1076, 890-1077, 890-1078, 890-1079, 890-1080, 890-1081, 890-1082, 890-1083, 890-1084, 890-1085, 890-1086, 890-1087, 890-1088, 890-1089, 890-1090, 890-1091, 890-1092, 890-1093, 890-1094, 890-1095, 890-1096, 890-1097, 890-1098, 890-1099, 890-1100, 890-1101, 890-1102, 890-1103, 890-1104, 890-1105, 890-1106, 890-1107, 890-1108, 890-1109, 890-1110, 890-1111, 890-1112, 890-1113, 890-1114, 890-1115, 890-1116, 890-1117, 890-1118, 890-1119, 890-1120, 890-1121, 890-1122, 890-1123, 890-1124, 890-1125, 890-1126, 890-1127, 890-1128, 890-1129, 890-1130, 890-1131, 890-1132, 890-1133, 890-1134, 890-1135, 890-1136, 890-1137, 890-1138, 890-1139, 890-1140, 890-1141, 890-1142, 890-1143, 890-1144, 890-1145, 890-1146, 890-1147, 890-1148, 890-1149, 890-1150, 890-1151, 890-1152, 890-1153, 890-1154, 890-1155, 890-1156, 890-1157, 890-1158, 890-1159, 890-1160, 890-1161, 890-1162, 890-1163, 890-1164, 890-1165, 890-1166, 890-1167, 890-1168, 890-1169, 890-1170, 890-1171, 890-1172, 890-11

FI

 Vkan Assessment & Testing Co., Ltd.	
Kingdom of Saudi Arabia Conformity Assessment Program	
Registration Statement	
Registration No.: 103832-1 	
Name and Address of Applicant:	Foshan VPCN Electric Co., Ltd. Jiangxi Industrial Area, Wenf, Shunde District, Foshan City, Guangdong Province, 528322, P.R. China
Name and Address of Manufacturer:	Foshan VPCN Electric Co., Ltd. Jiangxi Industrial Area, Wenf, Shunde District, Foshan City, Guangdong Province, 528322, P.R. China
Group and Category of Products:	See Appendix
Applicable Standards:	IEC 60885-1:1999 + A1:1999 + A2:2000 in consultation with National Standards
Additional Information:	
Expiry Date: 2020-06-28	
Notes:	
1. This Registration Statement is issued according to the requirements of the implementation program on the conformity certification for the products registered with the company managed by CVC and the registration in the property of CVC. It does not replace the Certificate of Conformity required for customs clearance of each shipment. This document does not constitute a contract between the manufacturer and the importer in relation to quality and quantity of the goods specified herein, nor does it discharge the exporters or the importers from any of their rights and liabilities under the Contract or Sales. Resolutions in the country are not binding on CVC.	
2. This Registration Statement is valid for 5 years provided from the issue date of the corresponding Test Report(s) provided that the products and applicable standards specified herein remain unchanged.	
Authorized Person:  Signature: _____ Date of Issue: _____	Authorized Person:  Signature: _____ Date of Issue: _____ Official stamp: 
Vkan Assessment & Testing Co., Ltd. (CVC) No. 10383-1, Xinhai Avenue, Shunde City, Guangdong. 10383-1, P.R. China Tel.: +86-755-23300858 Fax: +86-755-23300859 E-mail: info@cvc.com.cn Website: www.cvc.com.cn	

GCC

SGS

VERIFICATION OF COMPLIANCE

Re:

Applicant:

FOSHAN YIPON ELECTRIC CO., LTD
Guang Industrial Area, (Lufu Town, Shunde, Foshan,
Guangdong, China

Manufacturer:

Same as applicant

Product Name:

Router switch for installation use

Product Description:

Router switch, 10 X 250 V-U, with metal frame and screw type terminal

Model No.:

LU20H1, LU20H1P, NE-20H1, LU20H1L, LU20H1H,
NE-20H1P, LU20H1P, NE-20H1P, LU20H1, LU20H1H,
NE-20H1H, LU20H1H, LU20H1H, NE-20H1H, LU20H1H,
LU20H1H, NE-20H1H

Trade Mark:

YIPON

Rating:

10 X 250 V-U

Protection against Electric Shock:

Class II

Additional information:

Sufficient samples of the product have been taken and found to be in conformity with

Test Standard:

EN 60669-1:1999 + A1:2002 + A2:2006

as shown in the

Test Report Number(s):

SZS17050210001

This verification of Compliance has been granted to the applicant based on the results of tests, performed by Laboratory of SGS-CSTC Standards Technical Services Co., Ltd on sample of the above-mentioned product in accordance with the provisions of the relevant harmonized standards under the Low Voltage Directive (LVD). The CE marking as shown herein can be affixed, under the responsibility of the manufacturer, after completion of an EC Declaration of Conformity and compliance with all relevant EC Directives. The affixing of the CE marking represents in addition that the conditions in annexes I and II of the Directive are fulfilled.

Risky Item

Laboratory

SGS-CSTC

2017-08-17

Certified verification is issued by SGS-CSTC Standards Technical Services Co., Ltd and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is submitted to the management of the General Consumers of Services, please refer to the

Member of SGS Group (Singapore General in Jurisdiction)

EEC-ROF Rev 1-D: 2016-07-18

Page 1 of 1

CE

 180008222171			中国认可 国际互认 检测 TESTING CNAS L0085
			Page 1 of 37
			No.: 0000000000000000
TEST REPORT			
NAME OF SAMPLE: Push-Open Rocker Double Pole Switches			
CLIENT: Zhanan (POH) Electric Co., Ltd			
CLASSIFICATION OF TEST: Commission test			
 Zhanan (POH) Electric Co., Ltd			

IEC

Vkan Certificate & Testing Co., Ltd.

Kingdom of Saudi Arabia Conformity Assessment Program

Registration Statement

Registration No. : SD02010000000000000000

Page 3 of 3

Name and Address of Applicant	Fatran VIFON Electric Co., Ltd Jangji Industrial Area, Wulu Town, Shunde District, Fatran City, Guangdong Province, 528322, P.R. China
-------------------------------	---

Name and Address of Manufacturer	Fatran VIFON Electric Co., Ltd Jangji Industrial Area, Wulu Town, Shunde District, Fatran City, Guangdong Province, 528322, P.R. China
----------------------------------	---

Group and Category of Products	See Appendix
--------------------------------	--------------

Applicable Standards	SASO 2203:2018
----------------------	----------------

Additional Information	This Certificate is a renewal to RZNS4H1817816 and RZNS4A181617816.M1
------------------------	---

Expiry Date: 2021-11-15

Notes:

- The Registration Statement is issued according to the requirements of the implementation program on the conformity certification for the products exported to Saudi Arabia developed by CVC and the registration is the property of Vkan Certificate & Testing Co., Ltd. It does not support the Certificate of Conformity for multiple registrations of the same product. If the applicant's product changes, the applicant must submit a new registration statement. This statement does not charge expenses from their contractual obligations in relation to quality and safety of the goods specified identifier. Nor does it discharge the manufacturer from any of their rights and liabilities under the Contract of Sale. Disputations in the contract are not binding on CVC.
- The Registration Statement is valid for 5 years and will be valid after the corresponding Test Reports is provided that the products and applicable standards specified remain unchanged.

Vkan Certificate & Testing Co., Ltd. (CVC)
No.2 Tazhou Road, Kailash Avenue, Shunde City, Guangdong, China
Tel: +86 20 52026388 Fax: +86 20 52026889
E-mail: info@cvc.com.cn or service@cvc.com.cn

Authorized Person Name: Kaizhuang

Signature: 
Date of signature: 2021.11.15

Official stamp: 


SASO

 Vkan Certification & Testing Co., Ltd. No. 1 Century Road, Kailay Avenue, South City, Guangzhou, 510665 P.R. China Tel: +86-20-33330091 Fax: +86-20-33330093 E-mail: vkan@vkan.com.cn	
www.vkan.com.cn Page 1 of 7	
Gulf-Type Examination Certificate	
Certificate No.:	Date of Issue: 2018-08-09 Valid Until: 2021-08-09
Applicant:	Foshan V-PON Electric Co., Ltd. Address: Foshan Industrial Area, Lian Town, Shunde District, Foshan City, Guangdong Province, 528322, P.R. China
Manufacturer:	Name: Foshan V-PON Electric Co., Ltd. Address: Foshan Industrial Area, Lian Town, Shunde District, Foshan City, Guangdong Province, 528322, P.R. China
Product Name	Single-phase Plug-type Two-pole Socket-outlet with Earthing contact and shutter and incorporated with a power supply module; Single-phase Plug-type Two-pole Socket-outlet with Earthing contact and shutter
Tender/ask	V-PON
Model	See more details on the page 6 to 7 of this certificate
Country of Origin	China
Test Regarded (Standard)	GB 1963-2-2014+A1:2016
Type Reference No.	2018-GT-CO-100339
Manufacturing Location and Date	Foshan / V-PON Electric Co., Ltd. Foshan Industrial Area, Lian Town, Shunde District, Foshan City, Guangdong Province, 528322, P.R. China
List of CQC Categories Completed	SA-SR-IM-OM-IE-KJG-A
Conclusion	The tested sample meets the requirements of the above mentioned standards and hence fulfills the requirements of the Technical Regulation for Low Voltage Electrical Equipment and Appliances (GB 14054.01-1)-(-4)(-5) (-6)(-7). Results only relate to the items tested.
This certificate is only valid for the product and configuration described, in conjunction with the test data detailed in the related test reports and photos attached on the next page.	
  Authorized Signatory _____ Signature _____ Official Stamp _____	
  0205-880	
Copyright of this Certificate is owned by Vkan Certification & Testing Co., Ltd. (VCL) and may not be further used without its prior consent or the authorized person.	

SASO


Fireproof German
Bayer PC material

Unique LED kits for
location or power
indication



Advanced safety
shutter

Large contoured
rockers with positive
click action



开关、插座 Switches&sockets


每个人都希望把家庭布置得温馨，漂亮，舒适，安全，开关插座依靠多年的制造经验，丰富的产品种类，人性化的设计，多样化的功能，满足您对家居个性化，多样化需求。

我们的家居一般分为几个活动区域：门庭，书房，餐厅，起居室，卧室等。通过对灯光，空调，风扇的控制，实现我们随时变化生活场景需求。

Everyone wants to decorate the family warm, beautiful, comfortable, safe, mambang switch socket to rely on years of manufacturing experience, extensive product range, human design, a variety of features to meet your home personalized, diversified needs.

Our home is generally divided into several activity areas: Menting, study, dining, living room and bedrooms. Through lighting, air conditioning, fan control, changing scenes of life to achieve our needs at any time.

Advanced facilities and management guarantee every pieces of VPON production excellent quality.




产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
---------------	-------------------------------	------------------	-----------------------	-----------------

开关(Switch)



01 一位单控 1 gang 1 way switch B1A 16AX 250V~ 100


02 一位双控 1 gang 2 way switch B1B 16AX 250V~ 100



03 二位单控 2 gang 1 way switch B2A 16AX 250V~ 100

04 二位双控 2 gang 2 way switch B2B 16AX 250V~ 100


05 二位单控公共端子 2 gang 1 way switch (with a common incoming line) B2 16AX 250V~ 100



06 三位单控 3 gang 1 way switch B3A 16AX 250V~ 100

07 三位双控 3 gang 2 way switch B3B 16AX 250V~ 100

08 三位单控公共端子 3 gang 1 way switch (with a common incoming line) B3 16AX 250V~ 100



09 四位单控 4 gang 1 way switch B4A 16AX 250V~ 100

10 四位双控 4 gang 2 way switch B4B 16AX 250V~ 100


11 四位单控公共端子 4 gang 1 way switch (with a common incoming line) B4 16AX 250V~ 100



12 门铃开关 Bell push switch BBELL 16AX 250V~ 100




13 交换开关 1 gang intermediate switch B1IS 16AX 250V~ 100




14 窗帘开关 Curtain switch B2CS 16AX 250V~ 100

出口产品(Export product)













15 13A插座 13A BS socket B13 13A 250V~ 100



16 小开关13A插座 13A switched socket B5 13A 250V~ 100

17 小开关13A插座(指示灯) 13A switched socket with neon B5L 13A 250V~ 100

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
	18 开关双断13A插座DP 13A switched socket (DP)	B5DP	13A 250V~	100
	19 开关双断13A插座DP(指示灯) 13A switched socket with neon (DP)	B5DPL	13A 250V~	100
	20 13A小开关二三万能插座 2pin + universal switched socket	B43A	13A 250V~	100
	21 13A小开关双控二三万能插座 2pin+universal 2 way switched socket	B43B	13A 250V~	100
	22 开关15A三圆 15A switched socket	B46	15A 250V~	100
	23 开关15A三圆带指示灯 15A switched socket with neon	B46L	15A 250V~	100
	24 15A三圆 15A socket	B15	15A 250V~	100
	25 德式插 Socket outlet Earthed	B15GE	16A 250V~	100
	26 法式插 Socket outle Earthed(French type)	B15FR	16A 250V~	100
	27 20A开关双断DP(带灯) 20A double pole switch with LED	B20	20A 250V~	100
	28 45A开关双断DP(带灯) 45A double pole switch with LED	B45	45A 250V~	100
	29 20A 连接器 20A A/C connection unit	B20CU	20A 250V~	100

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
	30 45A 连接器 45A A/C connection unit	B45CU	45A 250V~	100
	31 45A开关双断DP(带灯) 45A double pole switch with LED	B45N	45A 250V~	70
	32 13A带保险管连接器 13A A/C connection unit with Fuse	B13F	13A 250V~	100
	33 13A带保险管连接器灯 13A A/C connection unit with Fuse and neon	B13FL	13A 250V~	100
	34 开关双断13A带保险管连接器 13A A/C DP switch connection unit with Fuse	B13SF	13A 250V~	100
	35 开关双断13A带保险管连接器灯 13A A/C DP switch connection unit with Fuse and neon	B13SLF	13A 250V~	100
	36 两位13A插座 Double 13A BS socket	B7	13A 250V~	70
	37 两位(开关13A插座) Double 13A switched socket	B8	13A 250V~	70
	38 两位(开关13A插座带指示灯) Double 13A switched socket with neon	B8L	13A 250V~	70
	39 两位(开关双断13A插座DP) Double 13A switched socket (DP)	B8DP	13A 250V~	70
	40 两位(开关双断13A插座带指示灯DP) Double 13A switched socket with neon (DP)	B8DPL	13A 250V~	70
	41 开关双断13A插座DP+45A开关双断DP 13A DP switched socket+45A DP switch with neon	B9	45A 250V~ 13A 250V~	70

酒店产品(Hotel SKUs)






42

调光(LED) 200W
200W LED dimmer

B11LED

200VA 250V~


60

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
	43 5档调速开关 Fan dimmer (5step)	B18	250VA 250V~	60
	44 调速250W 250W Fan dimmer	B14	250VA 250V~	60
	45 按压调速250W 250W Fan dimmer(push on/off)	B14P	250VA 250V~	60
	46 调光630W 630W Light dimmer	B11	630VA 250V~	60
	47 按压调光630W 630W light dimmer(push on/off)	B11P	630VA 250V~	60
	48 按压调光 1000W 1000W Light dimmer(push on/off)	B17	1000VA 250V~	60
	49 插卡取电 (普通卡) Keycard switch	KEYCARD	30A 250V~	60
	50 插卡取电 (低频卡) Keycard switch(LF)	KEYCARD-LF	30A 250V~	60
	51 插卡取电 (高频卡) Keycard switch(HF)	KEYCARD-HF	30A 250V~	60
	52 胡子插座 147 20W Shaver supply unit Isolation transformer	SHAVER	Input 240V~ Output 240/110V~ 20W	50
	53 两位联体外面 2x86 Frame	Bx2		100
	54 三位联体外面 3x86 Frame	Bx3		100

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
---------------	-------------------------------	------------------	-----------------------	-----------------



55 四位联体外面 4x86 Frame Bx4 100



56 叮咚+请勿打扰/请即清理/敬请等待+三位开关带指示灯 DINGDONG+Don't disturb /Please clean/Please Wait + 3 gang 1 way switch with LED

1W 250V~ 1A 250V~(门铃开关)


16AX 250V~(三位开关)

叮咚 1.2W 250V~

鸟声 4.5W 250V~

蜂鸣 15W 250V~

50



59 叮咚+请勿打扰/请即清理+二位开关带指示灯 DINGDONG+Don't disturb/Please clean+2 gang 1 way switch with LED

1W 250V~ 1A 250V~(门铃开关)


16AX 250V~(二位开关)

叮咚 1.2W 250V~

鸟声 4.5W 250V~

蜂鸣 15W 250V~

50



62 叮咚+请勿打扰/请即清理+二位开关带指示灯 DINGDONG+Don't disturb/Please clean+2 gang 1 way switch with LED

1W 250V~ 1A 250V~(门铃开关)


16AX 250V~(二位开关)

叮咚 1.2W 250V~

鸟声 4.5W 250V~

蜂鸣 15W 250V~

50



65 叮咚+请勿打扰+一位开关带指示灯 DINGDONG+Don't disturb+1 gang 1 way switch with LED

1W 250V~ 1A 250V~(门铃开关)

16AX 250V~(一位开关)

叮咚 1.2W 250V~

鸟声 4.5W 250V~

蜂鸣 15W 250V~

50

66 鸟声+请勿打扰+一位开关带指示灯 BIRD+Don't disturb+1 gang 1 way switch with LED

67 蜂鸣+请勿打扰+一位开关带指示灯 BUZZER+Don't disturb+1 gang 1 way switch with LED

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
---------------	-------------------------------	------------------	-----------------------	-----------------

通讯电器配件(Telecommunication Accessories)



68 电话插座 1 gang TEL socket (Rj11) BTEL 100

69 电脑插座CAT5 1 gang data socket cat 5 (Rj45) BC5 100

70 电脑插座CAT6 1 gang data socket cat 6 (Rj45) BC6 100



71 卫星+电脑CAT5 Satellite socket + data socket cat 5 (Rj45) BC5SAT 100

72 卫星+电脑CAT6 Satellite socket + data socket cat 6 (Rj45) BC6SAT 100



73 电话+电脑CAT5 TEL socket + data socket cat 5 (Rj45) BC5TEL 100

74 电话+电脑CAT6 TEL socket + data socket cat 6 (Rj45) BC6TEL 100



75 卫星插座 1 gang satellite socket BSAT 100



76 空白面板 Blank plate B30 150

USB/开关插座 (USB/Switch socket)



77 TYPE-A+C快充18W Type-C+A Charger QC3.0 PD3.0 B21Q INPUT:100V-250V~50/60Hz 0.6A OUTPUT:TYPE-A+C: Total 5V=3A TYPE-A/C:5V=3A/9V=2A/12V=1.5A 60









78 3位USB 3A 3 Gang USB Charger B22 INPUT 100-250V~50/60Hz 0.5A OUTPUT: 1USB 5V=2.1A 3USB TOTAL 5V=3A 60








79 3位USB 4.2A(快充) QC3.0 3 Gang Type-A Charger QC3.0 B22Q INPUT:100V-250V~50/60Hz 0.6A OUTPUT: USB1+2+3: Total 5V=4.2A USB3: 5V=3A/9V=2A/12V=1.5A 60












80 4位USB 4.2A 4 Gang USB Charger B24 INPUT 100-250V~50/60Hz 0.6A 1USB OUTPUT 5V=2.1A 4USB TOTAL OUTPUT 5V=4.2A 60

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
	81 13A插座+TYPE C+A快充18W 13A BS Socket with Type C+A Quick charger	B25PQ	13A 250V~ INPUT:100V-250V~50/60Hz 0.6A OUTPUT:TYPE-A+C: Total 5V~3A TYPE-A/C:5V~3A/9V~2A/12V~1.5A	60
	82 13A插座+2位USB快充18W 13A BS socket with 2 USB(Quick charger)	B25Q	13A 250V~ INPUT:100V-250V~50/60Hz 0.6A OUTPUT:USB1+2: Total 5V~3A USB1/2:5V~3A/9V~2A/12V~1.5A	60
	83 13A插座+2位USB 2A 13A socket with dual USB charger	B25	13A 250V~ INPUT 100-250V~50/60Hz 0.3A 2USB TOTAL OUTPUT 5V~2A	60
	84 开关13A万能插座+2位USB 2A 13A universal switched socket with dual USB charger	B27W	13A 250V~ INPUT 100-250V~50/60Hz 0.3A 2USB TOTAL OUTPUT 5V~2A	60
	85 开关13A插座+USB 2A 13A switched socket with USB charger	B26	13A 250V~ INPUT 100-250V~50/60Hz 0.3A OUTPUT 5V~2A	60
	86 DP开关双断13A插座+USB 2A 13A DP switched socket with USB charger	B26DP	13A 250V~ INPUT 100-250V~50/60Hz 0.3A OUTPUT 5V~2A	60
	87 开关13A插座+2位USB 2A 13A switched socket with dual USB charger	B27	13A 250V~ INPUT 100-250V~50/60Hz 0.3A 2USB TOTAL OUTPUT 5V~2A	60
	88 DP开关双断13A插座+2位USB 2A 13A DP switched socket with dual USB charger	B27DP	13A 250V~ INPUT 100-250V~50/60Hz 0.3A 2USB TOTAL OUTPUT 5V~2A	60
	89 两位 (13A插座) + 2位USB 2.1A Double 13A socket with dual USB charger	B28	13A 250V~ INPUT 100-250V~50/60Hz 0.3A 2USB TOTAL OUTPUT 5V~2.1A	50
	90 两位 (13A插座) + 3位USB 4.2A Double 13A socket with triply USB charger	B28E	13A 250V~ INPUT 100-250V~50/60Hz 0.6A 1USB OUTPUT 5V~2.1A 3USB TOTAL OUTPUT 5V~4.2A	50
	91 两位(13A插座)+TYPE-A+C快充18W Double 13A socket with Type-C+A charger	B28PQ	13A 250V~ INPUT:100V-250V~50/60Hz 0.6A OUTPUT:TYPE-A+C: Total 5V~3A TYPE-A/C:5V~3A/9V~2A/12V~1.5A	50

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
	92 两位(开关13A插座)+2位USB 2.1A Double 13A switched socket with dual USB charger	B29	13A 250V~ INPUT 100-250V~50/60Hz 0.3A 2USB TOTAL OUTPUT 5V=2.1A	50
	93 两位(DP开关双断13A插座)+2位USB 2.1A Double 13A DP switched socket with dual USB charger	B29DP	13A 250V~ INPUT 100-250V~50/60Hz 0.3A 2USB TOTAL OUTPUT 5V=2.1A	50
	94 两位(开关13A插座)+3位USB 4.2A Double 13A switched socket with triply USB charger	B29E	13A 250V~ INPUT 100-250V~50/60Hz 0.6A 1USB OUTPUT 5V=2.1A 3USB TOTAL OUTPUT 5V=4.2A	50
	95 两位(DP开关双断13A插座)+3位USB 4.2A Double 13A DP switched socket with triply USB charger	B29EDP	13A 250V~ INPUT 100-250V~50/60Hz 0.6A 1USB OUTPUT 5V=2.1A 3USB TOTAL OUTPUT 5V=4.2A	50
	96 两位(开关13A插座)+TYPE-A+C快充18W Double 13A switched socket with Type-C+A charger	B29PQ	13A 250V~ INPUT:100V-250V~50/60Hz 0.6A OUTPUT:TYPE-A+C: Total 5V=3A TYPE-A/C:5V=3A/9V=2A/12V=1.5A	50
	97 两位(DP开关双断13A插座)+TYPE-A+C快充18W Double 13A switched socket (DP) with Type-C+A charger	B29DPQ	13A 250V~ INPUT:100V-250V~50/60Hz 0.6A OUTPUT:TYPE-A+C: Total 5V=3A TYPE-A/C:5V=3A/9V=2A/12V=1.5A	50
	98 两位(开关13A插座)+2位USB18W快充 Double 13A switched socket with 2 USB	B31Q	13A 250V~ INPUT:100V-250V~50/60Hz 0.6A OUTPUT:USB1+2: Total 5V=3A USB1/2:5V=3A/9V=2A/12V=1.5A	50
	99 两位(DP开关双断13A插座)+2位USB18W快充 Double 13A DP switched socket with 2 USB	B31DPQ	13A 250V~ INPUT:100V-250V~50/60Hz 0.6A OUTPUT:USB1+2: Total 5V=3A USB1/2:5V=3A/9V=2A/12V=1.5A	50

内销插座(Domestic sales socket)

	100 二、三插座 2-3 pin socket	B23	10A 250V~	100
	101 偏二、三插座 2-3 pin socket	B23P	10A 250V~	100
	102 二、二、三插座 2-2-3 pin socket	B223	10A 250V~	100
	103 小按钮开关二、三插座(共火) 2-3 pin socket with switch	B36	10A 250V~	100
	104 大板开关二三插座(分体) 2-3 pin socket outlet with switch(split type)	B37	10A 250V~	100
	105 大板开关二三插座(共火) 2-3 pin socket outlet with switch(connect type)	B37G	10A 250V~	100
	106 大板开关双控二三插座(分体) 2-3 pin socket outlet with 1 gang 2 way switch(split type)	B37B	10A 250V~	100

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
	107 16A三极扁插座 16A 3 Pin socket	B16	16A 250V~	100
	108 16A开关三极扁插座 16A 3 pin socket with big switch	B38	16A 250V~	100
	109 二、三插座+(TYPE-A+C快充18W) 2-3 pin socket with Type C+A charger	B23-A+C	10A 250V~ INPUT:100V-250V~50/60Hz 0.6A OUTPUT:TYPE-A+C: Total 5V~3A TYPE-A/C:5V~3A/9V~2A/12V~1.5A	100
	110 二、三插座带2位USB18W快充 2-3 pin socket with 2 USB (Quick charge)	B23-2UQ	10A 250V~ INPUT:100V-250V~50/60Hz 0.6A OUTPUT:USB1+2: Total 5V~3A USB1/2:5V~3A/9V~2A/12V~1.5A	60
	111 二、三插座带2位USB5V3A 2-3 pin socket with 2 USB	B23-2U	10A 250V~ INPUT 100-250V~50/60Hz 0.5A 1USB OUTPUT 5V~2.1A 2USB TOTAL OUTPUT 5V~3A	60
人体感应(灯)(Sensor Light)				
	112 86#人体感应(椭圆) Wall mounted PIR Sensor	BSA	Input:220-250V~ 50/60Hz LAMP≤630W(白炽灯) LAMP≤100W(LED灯)	60
	113 86#人体感应(小花) Wall mounted PIR Sensor	BSB	Input:220-250V~ 50/60Hz LAMP≤630W(白炽灯) LAMP≤100W(LED灯)	60
	114 86#人体感应带LED灯 Wall mounted PIR Sensor with LED lamp	PJ01	0.5W 250V~	60
	115 86#人体感应带LED灯 Wall mounted PIR Sensor with LED lamp	PJ02	0.5W 250V~	60

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
	116 86#人体感应带LED灯 Wall mounted PIR Sensor with LED lamp	PJ03	0.5W 250V~	60
	117 2W 人体感应灯泡 LED Bulb with PIR Sensor E27	PJ04	2W 250V~	100
	118 3W 人体感应灯泡 LED Bulb with PIR Sensor E27	PJ05	3W 250V~	100
	119 5W 人体感应灯泡 Wide range 360° LED Bulb with PIR Sensor E27	PJ06	5W 250V~	100
	120 5W 人体感应吸顶灯 PIR motion sensor ceiling LED lamp	PJ07	5W 250V~/Φ100MM	100
	121 12W 人体感应灯泡 LED Bulb with PIR Sensor E27	PJ08	12W 250V~/Φ120MM	100
	122 光控感应插头带LED灯(直形) Light control sensor LED Lamp with plug	PJ09	0.25W 250V~	100
	123 光控感应插头带LED灯(弧形) Light control sensor LED Lamp with plug	PJ10	0.25W 250V~	100
	124 人体感应插头带LED灯(直形) PIR Sensor LED lamp with plug	PJ11	0.5W 250V~	100
	125 人体感应插头带LED灯(弧形) PIR Sensor LED lamp with plug	PJ12	0.5W 250V~	100

产品 (Image)	产品名称 (Product Description)	型号 (Model No)	规格 (Specification)	包装 (Packing)
	126 人体感应吸顶开关 Wide range 360° PIR sensor - Recess Mounting	PJ13	Input:220-250V~ 50/60Hz Φ100MM LAMP≤630W(白炽灯) LAMP≤100W(LED灯)	100
	127 人体感应插头带LED灯 PIR Sensor LED lamp with plug	PJ14	0.5W 250V~	100
	128 光控感应插头带LED灯 Light control sensor LED Lamp with plug	PJ15	0.25W 250V~	100
	129 人体感应开关(粘贴式) PIR sensor with sticker- Surface Mounting	PJ16	Input:220-250V~ 50/60Hz LAMP≤630W(白炽灯) LAMP≤100W(LED灯)	100
	130 人体感应开关(分体式) Wide range 360° PIR sensor - Recess Mounting	PJ17	Input:220-250V~ 50/60Hz LAMP≤630W(白炽灯) LAMP≤100W(LED灯)	100
	131 人体感应吸顶开关 Wide range 360° PIR sensor - Recess Mounting	PJ18	Input:220-250V~ 50/60Hz Φ53MM LAMP≤100W(LED灯)	100

重要声明

曼邦电气实业有限公司保留更改规格的权利，图册与实物规格如有差异，请以实物为准。

Important statement

Foshan VPON Electric Co.,Ltd reserve the right to change the specifications.
If there is any difference between the atlas and the physical specifications,
please refer to the physical specifications.

VPON曼邦

曼邦开关，陪伴您安全舒适每一天

www.vpon.net

佛山市顺德区曼邦电气实业有限公司

Foshan VPON Electric Co.,Ltd.

地址：佛山市顺德区勒流镇江义工业区

Jiangyi Industrial Area, Leliu Town, Shunde District, Foshan City, Guangdong

TEL: (+86)-757-23337777 (+86)-757-22127777
(+86)-757-22129999

Email: justin@vipo.com vicky@vipo.com ken@vipo.com